

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 01/23/2024 Reviewed on 01/23/2024

1 Identification

- · Product Identifier
- · Trade Name: Clear Prep+Finish™
- Relevant identified uses of the substance or mixture and uses advised against:

Condition leather or vinyl

- · Product Description: Water-based conditioner, primer and sealer for leather or vinyl
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:

Rub 'n Restore, Inc. 39585 Lund Rd.

PO Box 1149

Paonia, CO 81428

rubnrestore.com

888-704-5571

· Emergency telephone number: 970-527-9508 - Lesandre Barley

2 Hazard(s) Identification

· Classification of the substance or mixture:



Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements:
- · Hazard pictograms:





- · Signal word: Warning
- · Hazard-determining components of labeling:

2-butoxyethanol

· Hazard statements:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

(Contd. on page 2)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 01/23/2024 Reviewed on 01/23/2024

Trade Name: Clear Prep+Finish™

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

If on skin: Wash with plenty of water. P302+P352

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P362+P364 Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. P332+P313 If eye irritation persists: Get medical advice/attention. P337+P313

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

· Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2

Fire = 0

REACTIVITY | Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

Composition/Information on Ingredients


· Non-hazardous components:	
7732-18-5 Water, distilled water, deionized water	>85%

- · Chemical characterization: Substance
- · Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous Compone	ents:	
CAS: 95-63-6	1,2,4-Trimethylbenzene	2-12%
RTECS: DC3325000	Flammable Liquids 3, H226; Acute Toxicity - Inhalation 4, H332; Skin Irritation 2, H315; Eye Irritation 2A, H319; Specific Target Organ Toxicity -	
	Single Exposure 3, H335	
CAS: 107-98-2	1-methoxy-2-propanol	2-12%
RTECS: UB 7700000	Flammable Liquids 3, H226; Specific Target Organ Toxicity - Single Exposure 3, H336	
CAS: 111-76-2	2-butoxyethanol	2-12%
RTECS: KJ 8575000	Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 3, H331; Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Flammable Liquids 4, H227	

(Contd. on page 3)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 01/23/2024 Reviewed on 01/23/2024

Trade Name: Clear Prep+Finish™

CAS: 111-90-0 RTECS: KK 8750000	Diethylene glycol monoethyl ether	2-12%
CAS: 64742-95-6	Solvent naphtha (petroleum), light aromatic Toxicity - Inhalation 4, H332	2-12%
CAS: 98-82-8 RTECS: GR 8575000	Cumene ♠ Flammable Liquids 3, H226; ♦ Acute Toxicity - Inhalation 3, H331; ♠ Carcinogenicity 2, H351; Aspiration Hazard 1, H304; ♦ Acute Toxicity - Oral 4, H302; Specific Target Organ Toxicity - Single Exposure 3, H335	≤2.5%

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

- · After inhalation: In case of unconsciousness place patient stably in the side position for transportation.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

· After swallowing:

Immediately call a doctor.

If swallowed and symptoms occur, consult a doctor.

- · Information for doctor
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture:

In case of fire, may produce hazardous decomposition products such as carbon monoxide, carbon dioxide, (dense) black smoke, aldehydes, organic acids.


- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures: Not required.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 01/23/2024 Reviewed on 01/23/2024

Trade Name: Clear Prep+Finish™

- · Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

366 3660	on 13 for disposal information.	
· PAC-1:		
95-63-6	1,2,4-Trimethylbenzene	140 ppm
107-98-2	1-methoxy-2-propanol	100 ppm
111-76-2	2-butoxyethanol	60 ppm
111-90-0	Diethylene glycol monoethyl ether	75 ppm
98-82-8	Cumene	50 ppm
107-21-1	Ethylene glycol	30 ppm
· PAC-2:		
95-63-6	1,2,4-Trimethylbenzene	360 ppm
107-98-2	1-methoxy-2-propanol	160 ppm
111-76-2	2-butoxyethanol	120 ppm
111-90-0	Diethylene glycol monoethyl ether	100 ppm
98-82-8	Cumene	300 ppm
107-21-1	Ethylene glycol	150 ppm
PAC-3:		
95-63-6	1,2,4-Trimethylbenzene	480 ppm
107-98-2	1-methoxy-2-propanol	660 ppm
111-76-2	2-butoxyethanol	700 ppm
111-90-0	Diethylene glycol monoethyl ether	450 ppm
98-82-8	Cumene	730 ppm
107-21-1	Ethylene glycol	900 ppm

7 Handling and Storage

- · Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.


- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store in a cool, dry place away from direct sunlight and sources of ignition.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 01/23/2024 Reviewed on 01/23/2024

Trade Name: Clear Prep+Finish™

· Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:


The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituents have no known exposure limits.

	time, the remaining constituents have no known exposure limits. 6 1,2,4-Trimethylbenzene
REL	Long-term value: 125 mg/m³, 25 ppm
TLV	Long-term value: 10 ppm A4
107-98	3-2 1-methoxy-2-propanol
REL	Short-term value: 540 mg/m³, 150 ppm Long-term value: 360 mg/m³, 100 ppm
TLV	Short-term value: 100 ppm Long-term value: 50 ppm A4
111-76	5-2 2-butoxyethanol
PEL	Long-term value: 240 mg/m³, 50 ppm Skin
REL	Long-term value: 24 mg/m³, 5 ppm Skin
TLV	Long-term value: 20 ppm BEI, A3
111-90	0-0 Diethylene glycol monoethyl ether
WEEL	Long-term value: 25 ppm
98-82-	8 Cumene
PEL	Long-term value: 245 mg/m³, 50 ppm Skin
REL	Long-term value: 245 mg/m³, 50 ppm Skin
TLV	Long-term value: 5 ppm A3
Ingred	lients with biological limit values:
111-76	6-2 2-butoxyethanol
BEI 20	00 mg/g creatinine
	ine
	nd of shift
	utoxyacetic acid (BAA) (with hydrolysis)

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 01/23/2024 Reviewed on 01/23/2024

Trade Name: Clear Prep+Finish™

- · Exposure controls:
- · Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:



NIOSH/OSHA or EN approved respiratory protection is recommended for use in airborne concentrations exceeding exposure limits.

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Safety glasses recommended.



Tightly sealed goggles

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties


- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Color: White

· Odor: Characteristic

(Contd. on page 7)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 01/23/2024 Reviewed on 01/23/2024

Trade Name: Clear Prep+Finish™

Odor threshold: Not determined.pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Not determined.

Boiling point/Boiling range: ≥100 °C (≥212 °F)

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Auto igniting: Not applicable
 Decomposition temperature: Not determined.

· *Ignition temperature:* Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

Vapor pressure @ 20 °C (68 °F): ≤23 hPa (≤17.3 mm Hg)
 Density @ 20 °C (68 °F): 0.9879 g/cm³ (8.244 lbs/gal)

Relative density: Not determined.
 Vapor density: Not determined.
 Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water: Fully miscible.

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 15.3 %

 Water:
 84.4 %

 VOC content:
 15.60 %

 Solids content:
 0.0 %


• Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 01/23/2024 Reviewed on 01/23/2024

Trade Name: Clear Prep+Finish™

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

Acute tox		
		relevant for classification:
95-63-6 1,	2,4-Trimethylbe	enzene
Oral	LD50	6,000 mg/kg (Rat)
Inhalative	LC50/96 hours	3.359 mg/l (Trout)
	LC50/48 hrs	2.21 mg/l (Daphnia)
107-98-2 1	l-methoxy-2-pr	opanol
Oral	LD50	5,660 mg/kg (Rat)
Dermal	LD50	13,000 mg/kg (rabbit)
Inhalative	LC50/96 hours	12,732 mg/l (Trout)
	LC50/48 hrs	5,744 mg/l (Daphnia)
111-76-2 2	2-butoxyethano	l
Oral	LD50	1,200 mg/kg (ATE)
		470 mg/kg (Rat)
Dermal	LD50	220 mg/kg (rab)
Inhalative	LC50/4 h	3 mg/l (ATE)
		2,174.91 mg/l (Rat)
111-90-0	Diethylene glyc	ol monoethyl ether
Oral	LD50	5,500 mg/kg (Rat)
Dermal	LD50	8,500 mg/kg (rabbit)
64742-95-	6 Solvent naph	tha (petroleum), light aromatic
Oral	LD50	>6,800 mg/kg (Rat)
Dermal	LD50	>3,400 mg/kg (rab)
Inhalative	LC50/4 h	>10.2 mg/l (Rat)
98-82-8 C	umene	
Oral	LD50	1,400 mg/kg (Rat)
Dermal	LD50	12,300 mg/kg (rabbit)
Inhalative	LC50/4 h	24.7 mg/l (mouse)
	LC50/96 hours	6.265 mg/l (Trout)
	LC50/48 hrs	3.202 mg/l (Daphnia)
		I.


- Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

(Contd. on page 9)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 01/23/2024 Reviewed on 01/23/2024

Trade Name: Clear Prep+Finish™

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):
- Group 1 Carcinogenic to humans
- Group 2A Probably carcinogenic to humans
- Group 2B Possibly carcinogenic to humans
- Group 3 Not classifiable as to its carcinogenicity to humans
- Group 4 Probably not carcinogenic to humans

111-76-2 2-butoxyethanol	3
98-82-8 Cumene	2B
· NTP (National Toxicology Program):	
98-82-8 Cumene	R
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	

12 Ecological Information

· Toxicity:

· Aquatic toxicity:	
95-63-6 1,2,4-Trimethylbenzene	
EC50 3.084 mg/l (Green algae)	
107-98-2 1-methoxy-2-propanol	
EC50 1,654 mg/l (Green algae) (96 hr)	
111-76-2 2-butoxyethanol	
EC50 1,815 mg/l (Water flea)	
98-82-8 Cumene	
EC50 4.148 mg/l (Green algae)	

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations


- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household waste. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 10)





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 01/23/2024 Reviewed on 01/23/2024

Trade Name: Clear Prep+Finish™

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport Information

· UN-Number:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

• Environmental hazards: Not applicable. • Special precautions for user: Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture: No further relevant information available.
- · SARA (Superfund Amendments and Reauthorization):

· Section 355	(extremely	/ hazardous	substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

95-63-6 1,2,4-Trimethylbenzene

111-76-2 2-butoxyethanol

111-90-0 Diethylene glycol monoethyl ether

98-82-8 Cumene

107-21-1 Ethylene glycol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

98-82-8 Cumene

107-21-1 Ethylene glycol

· California Proposition 65:

· Chemicals known to cause cancer:

98-82-8 Cumene

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.


· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

107-21-1 Ethylene glycol

(Contd. on page 11)



Safety Data Sheet (SDS)
OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Reviewed on 01/23/2024 Issue date 01/23/2024

Trade Name: Clear Prep+Finish™

New Jers	ey Right-to-Know List:	
95-63-6	1,2,4-Trimethylbenzene	
107-98-2	1-methoxy-2-propanol	
111-76-2	2-butoxyethanol	
98-82-8	Cumene	
107-21-1	Ethylene glycol	
New Jers	ey Special Hazardous Substance List:	
107-98-2	1-methoxy-2-propanol	F3
111-76-2	2-butoxyethanol	CA, F
98-82-8	Cumene	F3, R
Pennsylv	ania Right-to-Know List:	
95-63-6	1,2,4-Trimethylbenzene	
107-98-2	1-methoxy-2-propanol	
111-76-2	2-butoxyethanol	
98-82-8	Cumene	
107-21-1	Ethylene glycol	
Pennsylv	ania Special Hazardous Substance List:	
95-63-6	1,2,4-Trimethylbenzene	
98-82-8	Cumene	
107-21-1	Ethylene glycol	

· Carcinogenic categories:

· Carcinog	ienic categories:		
· EPA (Env	vironmental Protection Agency):		
95-63-6	1,2,4-Trimethylbenzene	II	
111-76-2	2-butoxyethanol	NL	
98-82-8	Cumene	D, C	BD
TLV (Thre	eshold Limit Value established by ACGIH):		
111-76-2	2-butoxyethanol		A3
107-21-1	Ethylene glycol		A4
NIOSH-C	a (National Institute for Occupational Safety and Health):		
None of the	ne ingredients are listed.		

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:






- · Signal word: Warning
- · Hazard-determining components of labeling:
- 2-butoxyethanol
- · Hazard statements:

H302 Harmful if swallowed.





OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 01/23/2024 Reviewed on 01/23/2024

Trade Name: Clear Prep+Finish™

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Contact:

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health


OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

BEI: Biological Exposure Limit





Safety Data Sheet (SDS)
OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 01/23/2024 Reviewed on 01/23/2024

Trade Name: Clear Prep+Finish™

Flammable Liquids 3: Flammable liquids - Category 3 Flammable Liquids 4: Flammable liquids – Category 4 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Acute Toxicity - Inhalation 4: Acute toxicity - Category 4 Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B Carcinogenicity 2: Carcinogenicity – Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

Aspiration Hazard 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106