

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018

Reviewed on 03/20/2018

### \* 1 Identification

- **Product Identifier**
- **Trade Name: Rub 'n Restore™ Color II**
- **Relevant identified uses of the substance or mixture and uses advised against:**  
Water-based coating to restore or recolor leather or vinyl
- **Product Description:** Available Colors: Cognac, Espresso, Black, Cherrywood, Mahogany, Red Chili
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
Rub 'n Restore, Inc.  
PO Box 1149  
42812 Hidden Mesa Lane  
Paonia, CO 81428  
www.rubnrestore.com  
888-704-5571
- **Emergency telephone number:** 970-527-3359 - Catherine Barley

### 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard statements:**  
H319 Causes serious eye irritation.
- **Precautionary statements:**  
P264 Wash thoroughly after handling.  
P280 Wear eye protection / face protection.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



(Contd. on page 2)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018

Reviewed on 03/20/2018

**Trade Name: Rub 'n Restore™ Color II****· HMIS-ratings (scale 0 - 4)**

|            |   |                     |
|------------|---|---------------------|
| HEALTH     | 2 | Health = 2          |
| FIRE       | 0 | Fire = 0            |
| REACTIVITY | 0 | Physical Hazard = 0 |

**· Hazard(s) not otherwise classified (HNOC):** None known**3 Composition/Information on Ingredients****· Non-hazardous components:**

|           |   |        |
|-----------|---|--------|
| 7732-18-5 | Water, distilled water, deionized water | 25-50% |
|-----------|---|--------|

**· Chemical characterization: Mixtures****· Description:** Mixture of substances listed below with non-hazardous additions.**· Dangerous Components:**

|                                    |  |        |
|------------------------------------|--|--------|
|                                    | CMZ PIGMENTS<br>⚠ Eye Irrit. 2A, H319  | 25-50% |
| CAS: 64742-95-6                    | Solvent naphtha (petroleum), light aromatic<br>⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Acute Tox. 4, H332   | ≤ 2.5% |
| CAS: 111-76-2<br>RTECS: KJ 8575000 | 2-butoxyethanol<br>⚠ Acute Tox. 4, H302; ⚠ Acute Tox. 4, H312; ⚠ Acute Tox. 4, H332; ⚠ Skin Irrit. 2, H315; ⚠ Eye Irrit. 2A, H319; ⚠ Flam. Liq. 4, H227          | ≤ 2.5% |
| CAS: 95-63-6<br>RTECS: DC3325000   | 1,2,4-Trimethylbenzene<br>⚠ Flam. Liq. 3, H226; ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H332; ⚠ Skin Irrit. 2, H315; ⚠ Eye Irrit. 2A, H319; ⚠ STOT SE 3, H335 | ≤ 2.5% |
| CAS: 111-90-0<br>RTECS: KK 8750000 | Carbitol<br>⚠ Skin Irrit. 2, H315; ⚠ Flam. Liq. 4, H227; ⚠ Eye Irrit. 2B, H320   | ≤ 2.5% |
| CAS: 107-98-2<br>RTECS: UB 7700000 | 1-methoxy-2-propanol<br>⚠ Flam. Liq. 3, H226; ⚠ STOT SE 3, H336  | ≤ 2.5% |
| CAS: 98-82-8<br>RTECS: GR 8575000  | Cumene<br>⚠ Flam. Liq. 3, H226; ⚠ Carc. 2, H351; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ STOT SE 3, H335   | ≤ 2.5% |

**· Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

**4 First-Aid Measures****· Description of first aid measures:****· General information:**

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

**· After inhalation:**

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

**· After skin contact:** Generally the product does not irritate the skin.**· After eye contact:**

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

**· After swallowing:** If swallowed and symptoms occur, consult a doctor.**· Information for doctor:****· Most important symptoms and effects, both acute and delayed:** No further relevant information available.

(Contd. on page 3)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018

Reviewed on 03/20/2018

**Trade Name: Rub 'n Restore™ Color II**

- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

### \* 5 Fire-Fighting Measures

- **Extinguishing media:**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters:**
- **Protective equipment:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities:**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

### 8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018

Reviewed on 03/20/2018

**Trade Name: Rub 'n Restore™ Color II**

|  |   |
|--|---|
| <b>111-76-2 2-butoxyethanol</b>                    |   |
| PEL  | Long-term value: 240 mg/m <sup>3</sup> , 50 ppm<br>Skin   |
| REL  | Long-term value: 24 mg/m <sup>3</sup> , 5 ppm<br>Skin   |
| TLV  | Long-term value: 97 mg/m <sup>3</sup> , 20 ppm<br>BEI   |
| <b>95-63-6 1,2,4-Trimethylbenzene</b>              |   |
| REL  | Long-term value: 125 mg/m <sup>3</sup> , 25 ppm   |
| TLV  | Long-term value: 123 mg/m <sup>3</sup> , 25 ppm   |
| <b>111-90-0 Carbitol</b>                           |   |
| WEEL   | Long-term value: 25 ppm   |
| <b>107-98-2 1-methoxy-2-propanol</b>               |   |
| REL  | Short-term value: 540 mg/m <sup>3</sup> , 150 ppm<br>Long-term value: 360 mg/m <sup>3</sup> , 100 ppm |
| TLV  | Short-term value: 369 mg/m <sup>3</sup> , 100 ppm<br>Long-term value: 184 mg/m <sup>3</sup> , 50 ppm  |
| <b>98-82-8 Cumene</b>                              |   |
| PEL  | Long-term value: 245 mg/m <sup>3</sup> , 50 ppm<br>Skin   |
| REL  | Long-term value: 245 mg/m <sup>3</sup> , 50 ppm<br>Skin   |
| TLV  | Long-term value: 246 mg/m <sup>3</sup> , 50 ppm   |
| · <b>Ingredients with biological limit values:</b> |   |
| <b>111-76-2 2-butoxyethanol</b>                    |   |
| BEI  | 200 mg/g creatinine<br>urine<br>end of shift<br>Butoxyacetic acid with hydrolysis                     |

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

· **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 5)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018

Reviewed on 03/20/2018

**Trade Name: Rub 'n Restore™ Color II**

· **Eye protection:**



Safety glasses recommended.

### 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Liquid  
**Color:** Various colors  
**Odour:** Odorless  
**Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

**Melting point/Melting range:** Not determined.  
**Boiling point/Boiling range:** 100 °C (212 °F)

· **Flash point:** None

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** Not applicable

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

**Lower:** Not determined.  
**Upper:** Not determined.

· **Vapor pressure @ 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· **Density:**

**Relative density:** Not determined.  
**Vapor density:** Not determined.  
**Evaporation rate:** Not determined.

· **Solubility in / Miscibility with:**

**Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

**Dynamic:** Not determined.  
**Kinematic:** Not determined.

· **Solvent content:**

**Organic solvents:** 6.1 %  
**Water:** 33.5 %  
**VOC content:** 6.2 %

· **Other information:** No further relevant information available.

(Contd. on page 6)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018

Reviewed on 03/20/2018

**Trade Name: Rub 'n Restore™ Color II****10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**64742-95-6 Solvent naphtha (petroleum), light aromatic**

|            |          |                   |
|------------|----------|-------------------|
| Oral       | LD50     | >6800 mg/kg (Rat) |
| Dermal     | LD50     | >3400 mg/kg (rab) |
| Inhalative | LC50/4 h | >10.2 mg/l (Rat)  |

**111-76-2 2-butoxyethanol**

|            |          |                    |
|------------|----------|--------------------|
| Oral       | LD50     | 470 mg/kg (Rat)    |
| Dermal     | LD50     | 220 mg/kg (rab)    |
| Inhalative | LC50/4 h | 2174.91 mg/l (Rat) |

**95-63-6 1,2,4-Trimethylbenzene**

|            |               |                     |
|------------|---------------|---------------------|
| Oral       | LD50          | 6000 mg/kg (Rat)    |
| Inhalative | LC50/96 hours | 3.359 mg/l (Trout)  |
|            | LC50/48 hrs   | 2.21 mg/l (Daphnia) |

**111-90-0 Carbitol**

|        |      |                     |
|--------|------|---------------------|
| Oral   | LD50 | 5500 mg/kg (Rat)    |
| Dermal | LD50 | 8500 mg/kg (Rabbit) |

**107-98-2 1-methoxy-2-propanol**

|            |               |                      |
|------------|---------------|----------------------|
| Oral       | LD50          | 5660 mg/kg (Rat)     |
| Dermal     | LD50          | 13000 mg/kg (Rabbit) |
| Inhalative | LC50/96 hours | 12732 mg/l (Trout)   |
|            | LC50/48 hrs   | 5744 mg/l (Daphnia)  |

**98-82-8 Cumene**

|            |               |                      |
|------------|---------------|----------------------|
| Oral       | LD50          | 1400 mg/kg (Rat)     |
| Dermal     | LD50          | 12300 mg/kg (Rabbit) |
| Inhalative | LC50/4 h      | 24.7 mg/l (Mouse)    |
|            | LC50/96 hours | 6.265 mg/l (Trout)   |
|            | LC50/48 hrs   | 3.202 mg/l (Daphnia) |

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** Irritating effect.

(Contd. on page 7)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018

Reviewed on 03/20/2018

**Trade Name: Rub 'n Restore™ Color II****Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful  
Irritant

**Carcinogenic categories:****IARC (International Agency for Research on Cancer):**

Group 1 - Carcinogenic to humans  
Group 2A - Probably carcinogenic to humans  
Group 2B - Possibly carcinogenic to humans  
Group 3 - Not classifiable as to its carcinogenicity to humans  
Group 4 - Probably not carcinogenic to humans

|          |                 |    |
|----------|-----------------|----|
| 111-76-2 | 2-butoxyethanol | 3  |
| 98-82-8  | Cumene          | 2B |

**NTP (National Toxicology Program):**

|         |        |   |
|---------|--------|---|
| 98-82-8 | Cumene | R |
|---------|--------|---|

**OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

**12 Ecological Information****Toxicity:****Aquatic toxicity:**

|                                       |            |                       |
|---------------------------------------|------------|-----------------------|
| <b>111-76-2 2-butoxyethanol</b>       |            |                       |
| EC50                                  | 1815 mg/l  | (Water flea)          |
| <b>95-63-6 1,2,4-Trimethylbenzene</b> |            |                       |
| EC50                                  | 3.084 mg/l | (Green algae)         |
| <b>107-98-2 1-methoxy-2-propanol</b>  |            |                       |
| EC50                                  | 1654 mg/l  | (Green algae) (96 hr) |
| <b>98-82-8 Cumene</b>                 |            |                       |
| EC50                                  | 4.148 mg/l | (Green algae)         |

**Persistence and degradability:** No further relevant information available.

**Behavior in environmental systems:**

**Bioaccumulative potential:** No further relevant information available.

**Mobility in soil:** No further relevant information available.

**Additional ecological information:**

**General notes:**

Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.

**Results of PBT and vPvB assessment:**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects:** No further relevant information available.

**13 Disposal Considerations****Waste treatment methods:****Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018

Reviewed on 03/20/2018

**Trade Name: Rub 'n Restore™ Color II**

Observe all federal, state and local environmental regulations when disposing of this material.

- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport Information**

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

**15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

|  |
|--|
| · <b>Section 355 (extremely hazardous substances):</b> |
|--|

|                                     |
|-------------------------------------|
| None of the ingredients are listed. |
|-------------------------------------|

|  |
|--|
| · <b>Section 313 (Specific toxic chemical listings):</b> |
|--|

|          |                        |
|----------|------------------------|
| 111-76-2 | 2-butoxyethanol        |
| 95-63-6  | 1,2,4-Trimethylbenzene |
| 111-90-0 | Carbitol               |
| 107-21-1 | Ethylene glycol        |
| 98-82-8  | Cumene                 |

|   |
|---|
| · <b>TSCA (Toxic Substances Control Act):</b> |
|---|

|            |   |
|------------|---|
| 64742-95-6 | Solvent naphtha (petroleum), light aromatic |
| 111-76-2   | 2-butoxyethanol                             |
| 95-63-6    | 1,2,4-Trimethylbenzene                      |
| 111-90-0   | Carbitol                                    |
| 107-98-2   | 1-methoxy-2-propanol                        |
| 107-21-1   | Ethylene glycol                             |
| 98-82-8    | Cumene                                      |
| 7732-18-5  | Water, distilled water, deionized water     |

|                                     |
|-------------------------------------|
| · <b>California Proposition 65:</b> |
|-------------------------------------|

|   |
|---|
| · <b>Chemicals known to cause cancer:</b> |
|---|

|         |        |
|---------|--------|
| 98-82-8 | Cumene |
|---------|--------|

|  |
|--|
| · <b>Chemicals known to cause reproductive toxicity for females:</b> |
|--|

|                                     |
|-------------------------------------|
| None of the ingredients are listed. |
|-------------------------------------|

(Contd. on page 9)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018

Reviewed on 03/20/2018

**Trade Name: Rub 'n Restore™ Color II**

|  |                        |        |
|--|------------------------|--------|
| <b>· Chemicals known to cause reproductive toxicity for males:</b>         |                        |        |
| None of the ingredients are listed.  |                        |        |
| <b>· Chemicals known to cause developmental toxicity:</b>                  |                        |        |
| 107-21-1   | Ethylene glycol        |        |
| <b>· New Jersey Right-to-Know List:</b>                                    |                        |        |
| 111-76-2   | 2-butoxyethanol        |        |
| 95-63-6  | 1,2,4-Trimethylbenzene |        |
| 107-98-2   | 1-methoxy-2-propanol   |        |
| 107-21-1   | Ethylene glycol        |        |
| 98-82-8  | Cumene                 |        |
| <b>· New Jersey Special Hazardous Substance List:</b>                      |                        |        |
| 111-76-2   | 2-butoxyethanol        | CA, F2 |
| 107-98-2   | 1-methoxy-2-propanol   | F3     |
| 98-82-8  | Cumene                 | F3, R1 |
| <b>· Pennsylvania Right-to-Know List:</b>                                  |                        |        |
| 111-76-2   | 2-butoxyethanol        |        |
| 95-63-6  | 1,2,4-Trimethylbenzene |        |
| 107-98-2   | 1-methoxy-2-propanol   |        |
| 107-21-1   | Ethylene glycol        |        |
| 98-82-8  | Cumene                 |        |
| <b>· Pennsylvania Special Hazardous Substance List:</b>                    |                        |        |
| 95-63-6  | 1,2,4-Trimethylbenzene | E      |
| 107-21-1   | Ethylene glycol        | E      |
| 98-82-8  | Cumene                 | E      |
| <b>· Carcinogenic categories:</b>  |                        |        |
| <b>· EPA (Environmental Protection Agency):</b>                            |                        |        |
| 111-76-2   | 2-butoxyethanol        | NL     |
| 98-82-8  | Cumene                 | D, CBD |
| <b>· TLV (Threshold Limit Value established by ACGIH):</b>                 |                        |        |
| 111-76-2   | 2-butoxyethanol        | A3     |
| 107-21-1   | Ethylene glycol        | A4     |
| <b>· NIOSH-Ca (National Institute for Occupational Safety and Health):</b> |                        |        |
| None of the ingredients are listed.  |                        |        |

**· GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms:**



GHS07

**· Signal word:** Warning



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/20/2018

Reviewed on 03/20/2018

**Trade Name: Rub 'n Restore™ Color II****Hazard statements:**

H319 Causes serious eye irritation.

**Precautionary statements:**

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

**National regulations:**

None of the ingredients are listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

**Date of preparation / last revision:** 03/20/2018 / 5**Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety &amp; Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Flam. Liq. 4: Flammable liquids – Category 4

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

**\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106